


<b><i>HEALTH AND SAFETY MANUAL</i></b>		
Title: Illumination		
Approved by: Greg Savoy		Rev. 1/1/08

1 Purpose/Scope:

The purpose this Plan is to establish minimum safe illumination requirements for the Company.

This Plan applies to all Company construction areas, ramps, runways, corridors, offices, shops, and storage areas.

2 Responsibilities:

2.1 Managers and Supervisors shall ensure that all construction areas, ramps, runways, corridors, offices, shops, and storage areas are properly illuminated.

2.2 Employees shall report any unsafe condition caused by improper or deficient illumination.

3 Requirements:

3.1 Construction areas, ramps, runways, corridors, offices, shops, and storage areas shall be lighted to not less than the minimum illumination intensities listed in the table below while any work is in progress:

4 Foot candles – Area Of Operation:

4.1 General construction area lighting:

4.1.1 General construction areas, concrete placement, excavation and waste areas, access ways, active storage areas, loading platforms, refueling, and field maintenance areas.

4.1.2 Indoors: warehouses, corridors, hallways, and exit ways.

4.1.3 General construction plant and shops (e.g., mechanical and electrical equipment rooms, machine shops, carpenter shops, active store rooms, cafeterias, indoor toilets and workrooms.

4.1.4 First aid stations and offices.

5      References:

29 CFR 1926.56, Illumination.

*NOTE: For areas or operations not covered in this section, refer to the American National Standard A11.1-1965, R1970, Practice for Industrial Lighting, for recommended values of illumination.*

6      Exhibits:

None.